

# **RAPTOR**<sup>®</sup>

**TOUGH AND TINTABLE**  
PROTECTIVE COATING



# INDICATIVE CONSUMPTION



[www.raptorcoatings.com](http://www.raptorcoatings.com)



DRIVING SURFACE PERFECTION™



# INDICATIVE CONSUMPTION BED LINER



Description in inches	6,5'	8'
A Maximum width at outside of fender	78,0	78,0
B Overall length of box	82,1	101,2
C Front of box to end of open tailgate	98,6	118,4
D Tailgate height	17,0	17,0
E Box floor to top of cab	42,5	42,5
F Width between wheelhouses	49,3	49,3
G Maximum width at floor	64,3	64,3
H Maximum width opening	63,2	63,2

**Regular Pickup Bed** ≈ **4L**  
400-500 microns build

# INDICATIVE CONSUMPTION FULL OVERSPRAY



## Niva

Length	3720
Width	1620
Height	1640
Clearance	220

**8L**



## UAZ

Length	4025
Width	1785
Height	2075
Clearance	300

**10L**



## Toyota Land Cruiser 105

Length	4890
Width	1940
Height	1890
Clearance	200

**12L**



## Toyota Tundra

Length	6266
Width	2029
Height	1925
Clearance	259

**16L**

\* - 500-700 microns build

# INDICATIVE CONSUMPTION BED LINER

Conventional Application Gun	Application	Flash Time min	Wet Film Build, $\mu$	Build checked at 7-days	Coverage per litre, m <sup>2</sup>	Coverage per litre, ft <sup>2</sup>	Tack Free, min	Touch Dry, min
1-Coat	Light		≈ 150 $\mu$	≈ 120 $\mu$	7.90	85,00	30	60
1-Coat	Medium		≈ 275 $\mu$	≈ 230 $\mu$	4.20	45,00	40	90
1-Coat	Heavy		≈ 475 $\mu$	≈ 380 $\mu$	2.40	26,00	50	100
2-Coats	Light + Light	60		≈ 215 $\mu$	3.95	42.50	30	60
2-Coats	Medium + Light	60		≈ 330 $\mu$	3.02	32.50	30	90
2-Coats	Heavy + Light	60		≈ 460 $\mu$	2.57	27.75	30	90
2-Coats	Light + Medium	60		≈ 370 $\mu$	3.02	32.50	40	90
2-Coats	Medium + Medium	60		≈ 475 $\mu$	2.10	22.50	40	90
2-Coats	Heavy + Medium	60		≈ 585 $\mu$	1.65	17.75	40	90
2-Coats	Light + Heavy	60		≈ 460 $\mu$	2.57	27.75	50	100
2-Coats	Medium + Heavy	60		≈ 560 $\mu$	1.65	17.75	50	100
2-Coats	Heavy + Heavy	60		≈ 650 $\mu$	1.20	13.00	50	100
3-coats	Light + Light + Light	60		≈ 320 $\mu$	2.63	28.30	30	75
3-coats	Medium + Medium + Light	60		≈ 615 $\mu$	1.81	19.44	30	75

**Application conditions:**

Ambient	20°C
Air Pressure	3.5 Bar, 50 PSI
Distance - Light	30-40 cm
Distance - Medium	50-60 cm
Distance - Heavy	50-60 cm

